

Page 1/7

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

Reviewed on 06/19/2023

- 1 Identification · Product Identifier
- Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Reagent
- · Details of the Supplier of the Safety Data Sheet: · Manufacturer/Supplier:
- Scienetix Ltd 10935 County Rd 159 Tyler, TX 75703, United States Tel: +1(903)707-8012 Fax: +1(903)707-8012 • Emergency telephone number: 903-707-8012

2 Hazard(s) Identification

· Classification of the substance or mixture: The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Reactivity = 0

· HMIS-ratings (scale 0 - 4)



· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients	
· Non-hazardous components:	

Non-Hazardous Components

100%

· Chemical characterization: Substance

• **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous Components: Non-Regulated Material

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

Reviewed on 06/19/2023

Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel

4 First-Aid Measures

- Description of first aid measures
- · General information: If symptoms persist, call a physician.
- · After inhalation: Remove from exposure area to fresh air immediately. Get medical attention immediately.
- · After skin contact:

Remove contaminated clothing. Flush affected area with water and then wash with soap or mild detergent and water. Observe for signs of irritation. If irritation is present, get medical attention.

• After eye contact:

Wash eyes with large amounts of water or normal saline for at least 15 minutes. Observe for signs of irritation. If irritation is present, get medical attention.

After swallowing:

If swallowed, induce vomiting immediately after giving two glasses of Water. Never give anything by mouth to an unconscious person.

· Information for doctor

• Most important symptoms and effects, both acute and delayed: No further relevant information available.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Dilute with plenty of water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· PAC-1:

None of the ingredients are listed.

PAC-2:

None of the ingredients are listed.

· PAC-3:

None of the ingredients are listed.

7 Handling and Storage

· Handling

• Precautions for safe handling: No special precautions are necessary if used correctly.



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

Reviewed on 06/19/2023

Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep tightly closed. Store in a cool dry place (prolonged storage at -20°C. Use prudent laboratory practices for handling and storage of chemical substances of unknown toxicity.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

- · *Material of gloves:* Not applicable.
- · Penetration time of glove material: Not applicable.
- Eye protection:



Safety goggles

Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance: Form: Color:
- · Odor:
- Odor threshold:
- · odor threshold: · pH-value @ 20 °C (68 °F):
- Liquid Clear Characteristic Not determined.

8-9

Page 3/7



Page 4/7

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

Reviewed on 06/19/2023

Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel

 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.	
· Flash point:	None	
· Flammability (solid, gaseous):	Not applicable.	
· Auto igniting:	Not applicable	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not self-igniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
 Density: Relative density: Vapor density: Evaporation rate: 	Not determined. Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with: Water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.		
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
· Other information:	No further relevant information available.	
10 Stability and Reactivity		

· Reactivity: No further relevant information available.

- · Chemical stability: Product is stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Avoid contact with electrical sources
- · Incompatible materials: Strong oxidizing agents, strong acids, strong bases, water incompatible materials
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

Reviewed on 06/19/2023

Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel

- Additional toxicological information:
- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

• Toxicity:

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · *Bioaccumulative potential:* No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:
- Observe all federal, state and local environmental regulations when disposing of this material.
- · Uncleaned packaging
- *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport Information

 UN-Number: DOT, ADR/ADN, IMDG, IATA UN proper shipping name: DOT, ADR/ADN, IMDG, IATA Transport hazard class(es): 	Non-Regulated Material Non-Regulated Material
 DOT, ADR/ADN, ADN, IMDG, IATA Class: Packing group: DOT, ADR/ADN, IMDG, IATA Environmental hazards: Special precautions for user: Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: UN "Model Regulation": 	Non-Regulated Material Non-Regulated Material Not applicable. Not applicable. of Not applicable. Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

5 Regulatory Informatio

Reviewed on 06/19/2023

Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel

• Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available. • SARA (Superfund Amendments and Reauthorization): · Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed. TSCA (Toxic Substances Control Act): None of the ingredients are listed. · Hazardous Air Pollutants None of the ingredients are listed. · California Proposition 65: · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. New Jersey Right-to-Know List: None of the ingredients are listed. · New Jersey Special Hazardous Substance List: None of the ingredients are listed. · Pennsylvania Right-to-Know List: None of the ingredients are listed. · Pennsylvania Special Hazardous Substance List: None of the ingredients are listed. · Carcinogenic categories: · EPA (Environmental Protection Agency): None of the ingredients are listed. • TLV (Threshold Limit Value established by ACGIH): None of the ingredients are listed. · NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients are listed. · GHS label elements Non-Regulated Material · Hazard pictograms: Non-Regulated Material · Signal word: Non-Regulated Material · Hazard statements: Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/19/2023

Reviewed on 06/19/2023

Trade Name: Urinary Tract Infection (UTI) Multiplex PCR Panel

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit**

* * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106